


FIG.2 PRIOR ART


CODING TABLE

INPUT DATA WORD D	CODE WORD C
000	01001000100000
001	10000100000000
002	10010000100000
003	10001000100000
253	00001000010010
254	00010000010010
255	00100000010010


PRIOR ART FIG.3A




PRIOR ART FIG.3B



S








FIG.7 PRIOR ART





FIG.8 PRIOR ART



REPRODUCTION X ERROR DATA GENERATED

FIG.9A




FIG.9B




FIG.10A







FIG.10B











 63
 20
 101
 20
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
 250
-19 |-22 ---14 |-17 -9 |-12 က် 1210-1-2 -------2 NRZI CONVERSION DSV VALUE INPUT DATA WORD NUMBER OF CODE WORDS "1" TENDENCY OF DSV VALUE

FIG.13A

FIG.13B






43 47 49 51 53 57 59 61 65 69 71 73 77 981 BIT NUMBER OF CODE WORD STRING → 41 37 $13^{15} 17^{19} 21^{23} 25^{27} 29^{31} 33^{35}$ 6 S FIG.14B 22233 ← DSV VALUE

13 | 16 ∞ 9 3 3 4 1210-10 INPUT DATA WORD NRZI CONVERSION DSV VALUE NUMBER OF CODE WORDS "1" TENDENCY OF DSV VALUE


FIG.15A

BIT NUMBER OF CODE WORD STRING→ 79 77 65 69 71 75 63 61 57 59 53 49 45 43 4 39 37 33 $21 \\ 25 \\ 25 \\ 29 \\ 29$ 6 FIG.15B 1022 ← DSV VALUE



BIT NUMBER OF CODE WORD STRING → 69 73 63 67 61 57 59 53 51 43 4 $13 \quad 17 \quad 21 \quad 25 \quad 29 \quad 33 \quad 37 \quad 39$ S n FIG. 16B -DSV VALUE

FIG.17



17/17